



MAN'S RATE OF INFECTION FROM ONE ACT

OF INTERCOURSE WITH AN INFECTED PARTNER

NEW CASES EACH YEAR

CURABLE, NONVIRAL DISEASES

MALE

FEMALE

CHLAMYDIA (4-12 MILLION/YR.)

Can cause Infertility, ↑ risk of HIV if exposed *

TRICHOMONIASIS (3 MILLION/YR.)

↑ risk of HIV if exposed *

No data

No data

GONORRHEA (1.1 MILLION/YR.)

Can cause Infertility, ↑ risk of HIV if exposed *

SYPHILIS (120,000/YR.)

Seriously damages many parts of the body, ↑ risk of HIV if exposed *

NONCURABLE, VIRAL DISEASES

HUMAN PAPILLOMA VIRUS

(HPV) GENITAL WARTS (½ - 1 MILLION/YR.)

Some types - can cancer of the penis & anus

GENITAL HERPES (200,000-500,000/YR.)

Repeated outbreaks, ↑ risk of HIV if exposed *,
By age 30, 20% Americans infected

HEPATITIS B (100,000-200,000/YR.)

Promotes liver damage and ↑ risk of liver cancer

HIV/AIDS (40,000-50,000/YR.)

HIV infection can progress to AIDS
Increases risk of infection if exposed
to other STDs

**Not from one act, Risk of Giving HIV to Partner

HIV+ Male to HIV - Female

Woman has anrisk
of getting infected from the man

* **NOTE** - If exposed to the HIV/AIDS virus, anyone who is of getting infected from the man infected with these STDs has an increased risk of becoming infected. Anyone infected with the HIV/AIDS virus also has an increased risk of getting infected, if they are exposed to the other STDs.